



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

Participant ID

Variable # 1

Usage Notes: none

Sas Name: ID

Categories: Study: Administration

Sas Label: Participant ID

F38 Days since randomization/enrollment

Variable # 2

Usage Notes: none

Sas Name: F38DAYS

Categories: Study: Administration

Sas Label: F38 Days since randomization/enrollment

	N	Min	Max	Mean	Std Dev
	17132	4	2609	474.39277	341.48082

F38 Visit type

Variable # 3

Usage Notes: none

Sas Name: F38VTYP

Categories: Study: Administration

Sas Label: Visit type

Values		N	%
1	Screening Visit	0	0.0%
2	Semi-Annual Visit	0	0.0%
3	Annual Visit	17,132	100.0%
4	Non Routine Visit	0	0.0%
		17,132	

F38 Visit number

Number of the visit for which this form was collected.

Variable # 4

Usage Notes: none

Sas Name: F38VNUM

Categories: Study: Administration

Sas Label: Visit number

	N	Min	Max	Mean	Std Dev
	17132	1	6	1.27784	.92373



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Rate quality of life

Overall, how you would rate your quality of life? (Mark one oval in the box below.)

Variable # 5

Usage Notes: none

Sas Name: LIFEQUAL

Categories: Psychosocial/Behavioral

Sas Label: Rate quality of life

Values		N	%
0	Worst	10	0.1%
1	1	10	0.1%
2	2	23	0.1%
3	3	92	0.5%
4	4	157	0.9%
5	Halfway	1,343	7.8%
6	6	663	3.9%
7	7	1,936	11.3%
8	8	5,108	29.8%
9	9	4,155	24.3%
10	Best	3,494	20.4%
.	Missing	141	0.8%
		17,132	

F38 How satisfied with quality of life

How satisfied are you with your current quality of life? (Mark one oval in the box below.)

Variable # 6

Usage Notes: none

Sas Name: SATLIFE

Categories: Psychosocial/Behavioral

Sas Label: How satisfied with quality of life

Values		N	%
0	Dissatisfied	88	0.5%
1	1	71	0.4%
2	2	117	0.7%
3	3	216	1.3%
4	4	300	1.8%
5	Halfway	1,426	8.3%
6	6	732	4.3%
7	7	1,715	10.0%
8	8	3,989	23.3%
9	9	3,756	21.9%
10	Satisfied	4,592	26.8%
.	Missing	130	0.8%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants

F38 In general, health is

In general, would you say your health is (Mark one oval.)

Variable # 7**Sas Name:** GENHEL**Sas Label:** In general, health is**Usage Notes:** none**Categories:** Psychosocial/Behavioral

Values		N	%
1	Excellent	2,906	17.0%
2	Very good	7,462	43.6%
3	Good	5,392	31.5%
4	Fair	1,194	7.0%
5	Poor	92	0.5%
.	Missing	86	0.5%
		17,132	

F38 Compare health to 1 year ago

Compared to one year ago, how would you rate your health in general now? (Mark one oval.)

Variable # 8**Sas Name:** HLTHC1Y**Sas Label:** Compare health to 1 year ago**Usage Notes:** none**Categories:** Psychosocial/Behavioral

Values		N	%
1	Much better now than 1 year ago	1,067	6.2%
2	Somewhat better now than 1 year ago	2,308	13.5%
3	About the same time	11,755	68.6%
4	Somewhat worse now than 1 year ago	1,765	10.3%
5	Much worse than 1 year ago	141	0.8%
.	Missing	96	0.6%
		17,132	

F38 Limited vigorous activities

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Vigorous activities, such as running, lifting heavy objects, or strenuous sports

Variable # 9**Sas Name:** VIGACT**Sas Label:** Vigorous activities**Usage Notes:** none**Categories:** Physical Activity

Values		N	%
1	Yes, limited a lot	4,159	24.3%
2	Yes, limited a little	7,999	46.7%
3	No, not limited at all	4,790	28.0%
.	Missing	184	1.1%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants

F38 Limited moderate activities

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Moderate activities, such as moving a table, vacuuming, bowling, or golfing

Variable # 10**Usage Notes:** none**Sas Name:** MODACT**Categories:** Physical Activity**Sas Label:** Moderate activities

Values		N	%
1	Yes, limited a lot	906	5.3%
2	Yes, limited a little	3,734	21.8%
3	No, not limited at all	12,390	72.3%
.	Missing	102	0.6%
		17,132	

F38 Limited lifting or carrying groceries

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Lifting or carrying groceries

Variable # 11**Usage Notes:** none**Sas Name:** LIFTGROC**Categories:** Physical Activity**Sas Label:** Lifting or carrying groceries

Values		N	%
1	Yes, limited a lot	550	3.2%
2	Yes, limited a little	2,862	16.7%
3	No, not limited at all	13,604	79.4%
.	Missing	116	0.7%
		17,132	

F38 Limited climbing several flights of stairs

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Climbing several flights of stairs

Variable # 12**Usage Notes:** none**Sas Name:** STAIRS**Categories:** Physical Activity**Sas Label:** Climbing several flights of stairs

Values		N	%
1	Yes, limited a lot	1,737	10.1%
2	Yes, limited a little	5,791	33.8%
3	No, not limited at all	9,489	55.4%
.	Missing	115	0.7%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants

F38 Limited climbing one flight of stairs

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Climbing one flight of stairs

Variable # 13**Usage Notes:** none**Sas Name:** STAIR**Categories:** Physical Activity**Sas Label:** Climbing one flight of stairs

Values		N	%
1	Yes, limited a lot	491	2.9%
2	Yes, limited a little	2,401	14.0%
3	No, not limited at all	14,096	82.3%
.	Missing	144	0.8%
		17,132	

F38 Limited bending, kneeling, stooping

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Bending, kneeling, stooping

Variable # 14**Usage Notes:** none**Sas Name:** BENDING**Categories:** Physical Activity**Sas Label:** Bending, kneeling, stooping

Values		N	%
1	Yes, limited a lot	1,362	8.0%
2	Yes, limited a little	5,917	34.5%
3	No, not limited at all	9,748	56.9%
.	Missing	105	0.6%
		17,132	

F38 Limited walking more than one mile

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Walking more than a mile

Variable # 15**Usage Notes:** none**Sas Name:** WALK1M**Categories:** Physical Activity**Sas Label:** Walking more than one mile

Values		N	%
1	Yes, limited a lot	1,867	10.9%
2	Yes, limited a little	3,921	22.9%
3	No, not limited at all	11,215	65.5%
.	Missing	129	0.8%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants

F38 Limited walking several blocks

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Walking several blocks

Variable # 16**Usage Notes:** none**Sas Name:** WALKBLKS**Categories:** Physical Activity**Sas Label:** Walking several blocks

Values		N	%
1	Yes, limited a lot	1,020	6.0%
2	Yes, limited a little	2,431	14.2%
3	No, not limited at all	13,559	79.1%
.	Missing	122	0.7%
		17,132	

F38 Limited walking one block

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Walking one block

Variable # 17**Usage Notes:** none**Sas Name:** WALK1BLK**Categories:** Physical Activity**Sas Label:** Walking one block

Values		N	%
1	Yes, limited a lot	364	2.1%
2	Yes, limited a little	1,143	6.7%
3	No, not limited at all	15,497	90.5%
.	Missing	128	0.7%
		17,132	

F38 Limited bathing or dressing yourself

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Bathing or dressing yourself

Variable # 18**Usage Notes:** none**Sas Name:** BATHING**Categories:** Physical Activity**Sas Label:** Bathing or dressing yourself

Values		N	%
1	Yes, limited a lot	145	0.8%
2	Yes, limited a little	502	2.9%
3	No, not limited at all	16,395	95.7%
.	Missing	90	0.5%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants

F38 Extent physical/emotional problems interfered

During the past four weeks, to what extent have your physical health or emotional problems interfered with your normal social activities with family, neighbors, friends, or groups? (Mark one oval.)

Variable # 19**Usage Notes:** none**Sas Name:** INTSOC**Sas Label:** Extent phys or emotional probs interfere**Categories:** Lifestyle
Medical History

Values		N	%
1	Not at all	12,699	74.1%
2	Slightly	2,506	14.6%
3	Moderately	1,068	6.2%
4	Quite a bit	608	3.5%
5	Extremely	163	1.0%
.	Missing	88	0.5%
		17,132	

F38 How much bodily pain

During the past four weeks, how much bodily pain have you had? (Mark one oval.)

Variable # 20**Usage Notes:** none**Sas Name:** BODPAIN**Sas Label:** How much bodily pain**Categories:** Lifestyle
Medical History

Values		N	%
0	None	4,259	24.9%
2	Very mild	6,523	38.1%
3	Mild	3,315	19.3%
4	Moderate	2,483	14.5%
5	Severe	465	2.7%
.	Missing	87	0.5%
		17,132	

F38 How much did pain interfere

During the past four weeks, how much did pain interfere with your normal work (both outside your home and at home)? (Mark one oval.)

Variable # 21**Usage Notes:** none**Sas Name:** PAININT**Sas Label:** How much did pain interfere**Categories:** Lifestyle
Medical History

Values		N	%
1	Not at all	10,766	62.8%
2	A little bit	3,860	22.5%
3	Moderately	1,547	9.0%
4	Quite a bit	701	4.1%
5	Extremely	184	1.1%
.	Missing	74	0.4%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Physical/Cut down on time spent

The next questions are about your regular daily activities like work, child care, or community activities. As a result of your physical health, have any of the following problems occurred during the past 4 weeks? You cut down on the amount of time you spent on work or other activities

Variable # 22

Usage Notes: none

Sas Name: LESSWRKP

Sas Label: Physical/Cut down on time spent

Categories: Lifestyle
Medical History

Values		N	%
0	No	14,564	85.0%
1	Yes	2,416	14.1%
.	Missing	152	0.9%
		17,132	

F38 Physical/Accomplished less

The next questions are about your regular daily activities like work, child care, or community activities. As a result of your physical health, have any of the following problems occurred during the past 4 weeks? You accomplished less than you would have liked

Variable # 23

Usage Notes: none

Sas Name: LESSACCP

Sas Label: Physical/Accomplished less

Categories: Lifestyle
Medical History

Values		N	%
0	No	10,979	64.1%
1	Yes	5,981	34.9%
.	Missing	172	1.0%
		17,132	

F38 Physical/Limited kind of work

The next questions are about your regular daily activities like work, child care, or community activities. As a result of your physical health, have any of the following problems occurred during the past 4 weeks? You were limited in the kind of work or other activities you did

Variable # 24

Usage Notes: none

Sas Name: LESSKNDP

Sas Label: Physical/Limited kind of work

Categories: Lifestyle
Medical History

Values		N	%
0	No	13,277	77.5%
1	Yes	3,652	21.3%
.	Missing	203	1.2%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Physical/Difficulty performing work

The next questions are about your regular daily activities like work, child care, or community activities. As a result of your physical health, have any of the following problems occurred during the past 4 weeks? You had difficulty performing work or other activities (it took extra effort)

Variable # 25

Usage Notes: none

Sas Name: WRKDIFFP

Sas Label: Physical/Difficulty performing work

Categories: Lifestyle
Medical History

Values		N	%
0	No	12,943	75.5%
1	Yes	3,981	23.2%
.	Missing	208	1.2%
		17,132	

F38 Emotional/Cut down on time spent

In the past four weeks, as a result of any emotional problem (feeling depressed or anxious), have any of the following occurred? You cut down on the amount of time spent on work or other activities

Variable # 26

Usage Notes: none

Sas Name: LESSWRKE

Sas Label: Emotional/Cut down on time spent

Categories: Physical Activity
Psychosocial/Behavioral

Values		N	%
0	No	15,053	87.9%
1	Yes	1,896	11.1%
.	Missing	183	1.1%
		17,132	

F38 Emotional/Accomplished less

In the past four weeks, as a result of any emotional problem (feeling depressed or anxious), have any of the following occurred? You accomplished less than you would have liked

Variable # 27

Usage Notes: none

Sas Name: LESSACCE

Sas Label: Emotional/Accomplished less

Categories: Physical Activity
Psychosocial/Behavioral

Values		N	%
0	No	13,012	76.0%
1	Yes	3,915	22.9%
.	Missing	205	1.2%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Emotional/Worked less carefully

In the past four weeks, as a result of any emotional problem (feeling depressed or anxious), have any of the following occurred? You did work or other things less carefully than usual

Variable # 28

Usage Notes: none

Sas Name: LESSCARE

Sas Label: Emotional/Worked less carefully

Categories: Physical Activity
Psychosocial/Behavioral

Values		N	%
0	No	15,120	88.3%
1	Yes	1,778	10.4%
.	Missing	234	1.4%
		17,132	

F38 I get sick easier than others

Of these statements, how true or false is each for you? I seem to get sick a little easier than other people.

Variable # 29

Usage Notes: none

Sas Name: SICKEASY

Sas Label: I get sick easier than others

Categories: Medical History
Psychosocial/Behavioral

Values		N	%
1	Definitely true	147	0.9%
2	Mostly true	288	1.7%
3	Not sure	1,065	6.2%
4	Mostly false	3,151	18.4%
5	Definitely false	12,340	72.0%
.	Missing	141	0.8%
		17,132	

F38 I am as healthy as anybody

Of these statements, how true or false is each for you? I am as healthy as anybody I know.

Variable # 30

Usage Notes: none

Sas Name: HLTHYANY

Sas Label: I am as healthy as anybody

Categories: Medical History
Psychosocial/Behavioral

Values		N	%
1	Definitely true	7,107	41.5%
2	Mostly true	6,156	35.9%
3	Not sure	1,790	10.4%
4	Mostly false	920	5.4%
5	Definitely false	997	5.8%
.	Missing	162	0.9%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants

F38 I expect my health to get worse

Of these statements, how true or false is each for you? I expect my health to get worse.

Variable # 31**Usage Notes:** none**Sas Name:** HLTHWORS**Sas Label:** I expect my health to get worse**Categories:** Medical History
Psychosocial/Behavioral

Values		N	%
1	Definitely true	394	2.3%
2	Mostly true	1,394	8.1%
3	Not sure	4,453	26.0%
4	Mostly false	3,889	22.7%
5	Definitely false	6,820	39.8%
.	Missing	182	1.1%
		17,132	

F38 My health is excellent

Of these statements, how true or false is each for you? My health is excellent.

Variable # 32**Usage Notes:** none**Sas Name:** HLTHEXCL**Sas Label:** My health is excellent**Categories:** Medical History
Psychosocial/Behavioral

Values		N	%
1	Definitely true	5,178	30.2%
2	Mostly true	8,405	49.1%
3	Not sure	1,532	8.9%
4	Mostly false	1,086	6.3%
5	Definitely false	767	4.5%
.	Missing	164	1.0%
		17,132	

F38 Time physical/emotional problems interfered

During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends and relatives)?

Variable # 33**Usage Notes:** none**Sas Name:** INTSOC2**Sas Label:** Time physical/emotional probs interfere**Categories:** Medical History
Psychosocial/Behavioral

Values		N	%
1	All of the time	107	0.6%
2	Most of the time	383	2.2%
3	Some of the time	1,437	8.4%
4	A little bit of the time	2,426	14.2%
5	None of the time	12,655	73.9%
.	Missing	124	0.7%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Did you feel full of pep

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Did you feel full of pep?

Variable # 34

Usage Notes: none

Sas Name: FULLPEP

Categories: Psychosocial/Behavioral

Sas Label: Did you feel full of pep

Values		N	%
1	All of the time	644	3.8%
2	Most of the time	6,870	40.1%
3	A good bit of the time	4,059	23.7%
4	Some of the time	3,414	19.9%
5	A little bit of the time	1,369	8.0%
6	None of the time	605	3.5%
.	Missing	171	1.0%
		17,132	

F38 Have you been a very nervous person

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Have you been a very nervous person?

Variable # 35

Usage Notes: none

Sas Name: NERVOUS

Categories: Psychosocial/Behavioral

Sas Label: Have you been a very nervous person

Values		N	%
1	All of the time	82	0.5%
2	Most of the time	196	1.1%
3	A good bit of the time	534	3.1%
4	Some of the time	2,040	11.9%
5	A little bit of the time	5,734	33.5%
6	None of the time	8,399	49.0%
.	Missing	147	0.9%
		17,132	

F38 Felt so down in the dumps nothing could cheer

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Have you felt so down in the dumps that nothing could cheer you up?

Variable # 36

Usage Notes: none

Sas Name: DWNDUMPS

Categories: Psychosocial/Behavioral

Sas Label: Felt down in the dumps

Values		N	%
1	All of the time	44	0.3%
2	Most of the time	107	0.6%
3	A good bit of the time	276	1.6%
4	Some of the time	972	5.7%
5	A little bit of the time	2,650	15.5%
6	None of the time	12,945	75.6%
.	Missing	138	0.8%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants**F38 Felt calm and peaceful**

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Have you felt calm and peaceful?

Variable # 37**Usage Notes:** none**Sas Name:** CALM**Categories:** Psychosocial/Behavioral**Sas Label:** Felt calm and peaceful

Values		N	%
1	All of the time	1,331	7.8%
2	Most of the time	8,852	51.7%
3	A good bit of the time	3,217	18.8%
4	Some of the time	2,322	13.6%
5	A little bit of the time	930	5.4%
6	None of the time	314	1.8%
.	Missing	166	1.0%
		17,132	

F38 Did you have a lot of energy

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Did you have a lot of energy?

Variable # 38**Usage Notes:** none**Sas Name:** ENERGY**Categories:** Psychosocial/Behavioral**Sas Label:** Did you have a lot of energy

Values		N	%
1	All of the time	934	5.5%
2	Most of the time	6,576	38.4%
3	A good bit of the time	3,666	21.4%
4	Some of the time	3,290	19.2%
5	A little bit of the time	1,698	9.9%
6	None of the time	830	4.8%
.	Missing	138	0.8%
		17,132	

F38 Felt downhearted and blue

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Have you felt downhearted and blue?

Variable # 39**Usage Notes:** none**Sas Name:** FELTBUE**Categories:** Psychosocial/Behavioral**Sas Label:** Felt downhearted and blue

Values		N	%
1	All of the time	51	0.3%
2	Most of the time	175	1.0%
3	A good bit of the time	478	2.8%
4	Some of the time	2,023	11.8%
5	A little bit of the time	6,199	36.2%
6	None of the time	8,045	47.0%
.	Missing	161	0.9%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Did you feel worn out

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Did you feel worn out?

Variable # 40

Usage Notes: none

Sas Name: WORNOUT

Sas Label: Did you feel worn out

Categories: Psychosocial/Behavioral

Values		N	%
1	All of the time	166	1.0%
2	Most of the time	538	3.1%
3	A good bit of the time	1,144	6.7%
4	Some of the time	4,082	23.8%
5	A little bit of the time	7,303	42.6%
6	None of the time	3,702	21.6%
.	Missing	197	1.1%
		17,132	

F38 Have you been happy

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Have you been happy?

Variable # 41

Usage Notes: none

Sas Name: HAPPY

Sas Label: Have you been happy

Categories: Psychosocial/Behavioral

Values		N	%
1	All of the time	2,167	12.6%
2	Most of the time	9,985	58.3%
3	A good bit of the time	2,279	13.3%
4	Some of the time	1,813	10.6%
5	A little bit of the time	573	3.3%
6	None of the time	190	1.1%
.	Missing	125	0.7%
		17,132	

F38 Did you feel tired

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Did you feel tired?

Variable # 42

Usage Notes: none

Sas Name: TIRED

Sas Label: Did you feel tired

Categories: Psychosocial/Behavioral

Values		N	%
1	All of the time	275	1.6%
2	Most of the time	877	5.1%
3	A good bit of the time	1,682	9.8%
4	Some of the time	5,524	32.2%
5	A little bit of the time	7,406	43.2%
6	None of the time	1,248	7.3%
.	Missing	120	0.7%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Can you eat

Can you eat:

Variable # 43

Sas Name: EAT

Sas Label: Can you eat

Usage Notes: Not collected on all versions of Form 38.

Categories: Physical Activity

Values		N	%
1	Without help (can feed self completely)	16,805	98.1%
2	With some help (help cutting, etc.)	31	0.2%
3	Completely unable to feed self	73	0.4%
.	Missing	223	1.3%
		17,132	

F38 Can you dress and undress yourself

Can you dress and undress yourself:

Variable # 44

Sas Name: DRESS

Sas Label: Can you dress and undress self

Usage Notes: Not collected on all versions of Form 38.

Categories: Physical Activity

Values		N	%
1	Without help (can pick clothes, dress)	16,820	98.2%
2	With some help	51	0.3%
3	Unable to dress and undress self	31	0.2%
.	Missing	230	1.3%
		17,132	

F38 Can you get in and out of bed

Can you get in and out of bed:

Variable # 45

Sas Name: INOUTBED

Sas Label: Can you get in and out of bed

Usage Notes: Not collected on all versions of Form 38.

Categories: Physical Activity

Values		N	%
1	Without any help or aids	16,829	98.2%
2	With some help (from a person or device)	63	0.4%
3	Totally dependent on someone else	6	0.0%
.	Missing	234	1.4%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Can you take a bath or shower

Can you take a bath or shower:

Variable # 46

Sas Name: SHOWER

Sas Label: Can you take a bath or shower

Usage Notes: Not collected on all versions of Form 38.

Categories: Physical Activity

Values		N	%
1	Without help	16,751	97.8%
2	With some help (help in/out, tub attach)	139	0.8%
3	Completely unable to bathe self	17	0.1%
.	Missing	225	1.3%
		17,132	

F38 Bloating or gas

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Bloating or gas

Variable # 47

Sas Name: BLOATING

Sas Label: Bloating or gas

Usage Notes: Not collected on all versions of Form 38.

Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	5,789	33.8%
1	Symptom was mild	8,331	48.6%
2	Symptom was moderate	2,473	14.4%
3	Symptom was severe	405	2.4%
.	Missing	134	0.8%
		17,132	

F38 Constipation

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Constipation (difficulty having bowel movements)

Variable # 48

Sas Name: CONSTIP

Sas Label: Constipation

Usage Notes: none

Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	11,230	65.5%
1	Symptom was mild	4,329	25.3%
2	Symptom was moderate	1,180	6.9%
3	Symptom was severe	256	1.5%
.	Missing	137	0.8%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Night sweats

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Night sweats

Variable # 49

Usage Notes: none

Sas Name: NIGHTSWT

Categories: Medical History: Other Disease/Condition

Sas Label: Night sweats

Values		N	%
0	Symptom did not occur	12,773	74.6%
1	Symptom was mild	3,119	18.2%
2	Symptom was moderate	890	5.2%
3	Symptom was severe	181	1.1%
.	Missing	169	1.0%
		17,132	

F38 General aches or pains

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. General aches or pains

Variable # 50

Usage Notes: none

Sas Name: ACHES

Categories: Medical History: Other Disease/Condition

Sas Label: General aches or pains

Values		N	%
0	Symptom did not occur	3,823	22.3%
1	Symptom was mild	9,524	55.6%
2	Symptom was moderate	3,141	18.3%
3	Symptom was severe	460	2.7%
.	Missing	184	1.1%
		17,132	

F38 Breast tenderness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Breast tenderness

Variable # 51

Usage Notes: none

Sas Name: BRSTTEN

Categories: Medical History: Other Disease/Condition

Sas Label: Breast tenderness

Values		N	%
0	Symptom did not occur	12,339	72.0%
1	Symptom was mild	3,615	21.1%
2	Symptom was moderate	865	5.0%
3	Symptom was severe	176	1.0%
.	Missing	137	0.8%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Hot flashes

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Hot flashes

Variable # 52

Usage Notes: none

Sas Name: HOTFLASH

Categories: Medical History: Other Disease/Condition

Sas Label: Hot flashes

Values		N	%
0	Symptom did not occur	13,881	81.0%
1	Symptom was mild	2,341	13.7%
2	Symptom was moderate	645	3.8%
3	Symptom was severe	142	0.8%
.	Missing	123	0.7%
		17,132	

F38 Diarrhea

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Diarrhea

Variable # 53

Usage Notes: none

Sas Name: DIARRHEA

Categories: Medical History: Other Disease/Condition

Sas Label: Diarrhea

Values		N	%
0	Symptom did not occur	12,672	74.0%
1	Symptom was mild	3,359	19.6%
2	Symptom was moderate	751	4.4%
3	Symptom was severe	229	1.3%
.	Missing	121	0.7%
		17,132	

F38 Mood swings

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Mood swings

Variable # 54

Usage Notes: none

Sas Name: MOODSWNG

Categories: Medical History: Other Disease/Condition

Sas Label: Mood swings

Values		N	%
0	Symptom did not occur	11,286	65.9%
1	Symptom was mild	4,667	27.2%
2	Symptom was moderate	894	5.2%
3	Symptom was severe	118	0.7%
.	Missing	167	1.0%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Nausea

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Nausea

Variable # 55

Usage Notes: none

Sas Name: NAUSEA

Categories: Medical History: Other Disease/Condition

Sas Label: Nausea

Values		N	%
0	Symptom did not occur	15,042	87.8%
1	Symptom was mild	1,613	9.4%
2	Symptom was moderate	254	1.5%
3	Symptom was severe	92	0.5%
.	Missing	131	0.8%
		17,132	

F38 Dizziness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Dizziness

Variable # 56

Usage Notes: none

Sas Name: DIZZY

Categories: Medical History: Other Disease/Condition

Sas Label: Dizziness

Values		N	%
0	Symptom did not occur	13,680	79.9%
1	Symptom was mild	2,775	16.2%
2	Symptom was moderate	424	2.5%
3	Symptom was severe	102	0.6%
.	Missing	151	0.9%
		17,132	

F38 Feeling tired

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Feeling tired

Variable # 57

Usage Notes: none

Sas Name: TIRED2

Categories: Medical History: Other Disease/Condition

Sas Label: Feeling tired

Values		N	%
0	Symptom did not occur	2,569	15.0%
1	Symptom was mild	10,609	61.9%
2	Symptom was moderate	3,244	18.9%
3	Symptom was severe	578	3.4%
.	Missing	132	0.8%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Forgetfulness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Forgetfulness

Variable # 58

Usage Notes: none

Sas Name: FORGET

Categories: Medical History: Other Disease/Condition

Sas Label: Forgetfulness

Values		N	%
0	Symptom did not occur	6,531	38.1%
1	Symptom was mild	8,689	50.7%
2	Symptom was moderate	1,583	9.2%
3	Symptom was severe	183	1.1%
.	Missing	146	0.9%
		17,132	

F38 Increased appetite

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Increased appetite

Variable # 59

Usage Notes: none

Sas Name: HUNGRY

Categories: Medical History: Other Disease/Condition

Sas Label: Increase appetite

Values		N	%
0	Symptom did not occur	11,846	69.1%
1	Symptom was mild	3,749	21.9%
2	Symptom was moderate	1,144	6.7%
3	Symptom was severe	242	1.4%
.	Missing	151	0.9%
		17,132	

F38 Heart racing or skipping beats

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Heart racing or skipping beats

Variable # 60

Usage Notes: none

Sas Name: HEARTRAC

Categories: Medical History: Other Disease/Condition

Sas Label: Heart racing or skipping beats

Values		N	%
0	Symptom did not occur	13,538	79.0%
1	Symptom was mild	2,793	16.3%
2	Symptom was moderate	552	3.2%
3	Symptom was severe	87	0.5%
.	Missing	162	0.9%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Tremors

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Tremors (shakes)

Variable # 61

Usage Notes: none

Sas Name: TREMORS

Categories: Medical History: Other Disease/Condition

Sas Label: Tremors

Values		N	%
0	Symptom did not occur	15,783	92.1%
1	Symptom was mild	953	5.6%
2	Symptom was moderate	212	1.2%
3	Symptom was severe	54	0.3%
.	Missing	130	0.8%
		17,132	

F38 Heartburn

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Heartburn

Variable # 62

Usage Notes: none

Sas Name: HEARTBRN

Categories: Medical History: Other Disease/Condition

Sas Label: Heartburn

Values		N	%
0	Symptom did not occur	10,791	63.0%
1	Symptom was mild	4,599	26.8%
2	Symptom was moderate	1,249	7.3%
3	Symptom was severe	325	1.9%
.	Missing	168	1.0%
		17,132	

F38 Restless and fidgety

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Restless or fidgety

Variable # 63

Usage Notes: none

Sas Name: RESTLESS

Categories: Medical History: Other Disease/Condition

Sas Label: Restless and fidgety

Values		N	%
0	Symptom did not occur	11,352	66.3%
1	Symptom was mild	4,601	26.9%
2	Symptom was moderate	894	5.2%
3	Symptom was severe	110	0.6%
.	Missing	175	1.0%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Low back pain

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Low back pain

Variable # 64

Usage Notes: none

Sas Name: LOWBACKP

Categories: Medical History: Other Disease/Condition

Sas Label: Low back pain

Values		N	%
0	Symptom did not occur	7,895	46.1%
1	Symptom was mild	5,901	34.4%
2	Symptom was moderate	2,461	14.4%
3	Symptom was severe	723	4.2%
.	Missing	152	0.9%
		17,132	

F38 Neck pain

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Neck pain

Variable # 65

Usage Notes: none

Sas Name: NECKPAIN

Categories: Medical History: Other Disease/Condition

Sas Label: Neck pain

Values		N	%
0	Symptom did not occur	10,228	59.7%
1	Symptom was mild	4,686	27.4%
2	Symptom was moderate	1,687	9.8%
3	Symptom was severe	382	2.2%
.	Missing	149	0.9%
		17,132	

F38 Skin dryness or scaling

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Skin dryness or scaling

Variable # 66

Usage Notes: none

Sas Name: SKINDRY

Categories: Medical History: Other Disease/Condition

Sas Label: Skin dryness or scaling

Values		N	%
0	Symptom did not occur	7,626	44.5%
1	Symptom was mild	6,880	40.2%
2	Symptom was moderate	2,026	11.8%
3	Symptom was severe	478	2.8%
.	Missing	122	0.7%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Headaches or migraines

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Headaches or migraines

Variable # 67

Usage Notes: none

Sas Name: HEADACHE

Categories: Medical History: Other Disease/Condition

Sas Label: Headaches or migraines

Values		N	%
0	Symptom did not occur	9,744	56.9%
1	Symptom was mild	5,719	33.4%
2	Symptom was moderate	1,263	7.4%
3	Symptom was severe	283	1.7%
.	Missing	123	0.7%
		17,132	

F38 Clumsiness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Clumsiness

Variable # 68

Usage Notes: none

Sas Name: CLUMSY

Categories: Medical History: Other Disease/Condition

Sas Label: Clumsiness

Values		N	%
0	Symptom did not occur	12,252	71.5%
1	Symptom was mild	4,098	23.9%
2	Symptom was moderate	520	3.0%
3	Symptom was severe	53	0.3%
.	Missing	209	1.2%
		17,132	

F38 Trouble with vision

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Any trouble seeing that is uncorrected by lenses

Variable # 69

Usage Notes: none

Sas Name: TRBSEE

Categories: Medical History: Other Disease/Condition

Sas Label: Trouble with vision

Values		N	%
0	Symptom did not occur	13,705	80.0%
1	Symptom was mild	2,375	13.9%
2	Symptom was moderate	661	3.9%
3	Symptom was severe	157	0.9%
.	Missing	234	1.4%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants

F38 Vaginal or genital irritation

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Vaginal or genital irritation or itching

Variable # 70**Usage Notes:** none**Sas Name:** VAGITCH**Categories:** Medical History: Other Disease/Condition**Sas Label:** Vaginal or genital irritation

Values		N	%
0	Symptom did not occur	13,239	77.3%
1	Symptom was mild	2,937	17.1%
2	Symptom was moderate	601	3.5%
3	Symptom was severe	191	1.1%
.	Missing	164	1.0%
		17,132	

F38 Difficulty concentrating

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Difficulty concentrating

Variable # 71**Usage Notes:** none**Sas Name:** CONCEN**Categories:** Medical History: Other Disease/Condition**Sas Label:** Difficulty concentrating

Values		N	%
0	Symptom did not occur	11,605	67.7%
1	Symptom was mild	4,532	26.5%
2	Symptom was moderate	691	4.0%
3	Symptom was severe	107	0.6%
.	Missing	197	1.1%
		17,132	

F38 Joint pain or stiffness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you... Be sure to mark one box on each line. Joint pain or stiffness

Variable # 72**Usage Notes:** none**Sas Name:** JNTPAIN**Categories:** Medical History: Other Disease/Condition**Sas Label:** Joint pain or stiffness

Values		N	%
0	Symptom did not occur	5,185	30.3%
1	Symptom was mild	7,959	46.5%
2	Symptom was moderate	3,020	17.6%
3	Symptom was severe	802	4.7%
.	Missing	166	1.0%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Decreased appetite

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Decreased appetite

Variable # 73

Usage Notes: none

Sas Name: NOHUNGER

Categories: Medical History: Other Disease/Condition

Sas Label: Decreased appetite

Values		N	%
0	Symptom did not occur	15,428	90.1%
1	Symptom was mild	1,246	7.3%
2	Symptom was moderate	247	1.4%
3	Symptom was severe	45	0.3%
.	Missing	166	1.0%
		17,132	

F38 Hearing loss

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Hearing loss

Variable # 74

Usage Notes: none

Sas Name: HEARLOSS

Categories: Medical History: Other Disease/Condition

Sas Label: Hearing loss

Values		N	%
0	Symptom did not occur	13,067	76.3%
1	Symptom was mild	2,944	17.2%
2	Symptom was moderate	756	4.4%
3	Symptom was severe	170	1.0%
.	Missing	195	1.1%
		17,132	

F38 Swelling of hands or feet

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Swelling of hands or feet

Variable # 75

Usage Notes: none

Sas Name: SWELLHND

Categories: Medical History: Other Disease/Condition

Sas Label: Swelling of hands or feet

Values		N	%
0	Symptom did not occur	11,791	68.8%
1	Symptom was mild	4,034	23.5%
2	Symptom was moderate	919	5.4%
3	Symptom was severe	228	1.3%
.	Missing	160	0.9%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants

F38 Vaginal or genital dryness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Vaginal or genital dryness

Variable # 76**Usage Notes:** none**Sas Name:** VAGDRY**Categories:** Medical History: Other Disease/Condition**Sas Label:** Vaginal or genital dryness

Values		N	%
0	Symptom did not occur	12,436	72.6%
1	Symptom was mild	3,289	19.2%
2	Symptom was moderate	925	5.4%
3	Symptom was severe	263	1.5%
.	Missing	219	1.3%
		17,132	

F38 Upset stomach or belly pain

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Upset stomach or belly pain or discomfort

Variable # 77**Usage Notes:** none**Sas Name:** UPSTOM**Categories:** Medical History: Other Disease/Condition**Sas Label:** Upset stomach or belly pain

Values		N	%
0	Symptom did not occur	12,083	70.5%
1	Symptom was mild	3,802	22.2%
2	Symptom was moderate	840	4.9%
3	Symptom was severe	228	1.3%
.	Missing	179	1.0%
		17,132	

F38 Pain or burning while urinating

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Pain or burning while urinating

Variable # 78**Usage Notes:** none**Sas Name:** URINPAIN**Categories:** Medical History: Other Disease/Condition**Sas Label:** Pain or burning while urinating

Values		N	%
0	Symptom did not occur	16,042	93.6%
1	Symptom was mild	738	4.3%
2	Symptom was moderate	159	0.9%
3	Symptom was severe	53	0.3%
.	Missing	140	0.8%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Coughing or wheezing

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Cough or wheezing

Variable # 79

Usage Notes: none

Sas Name: COUGH

Categories: Medical History: Other Disease/Condition

Sas Label: Coughing or wheezing

Values		N	%
0	Symptom did not occur	11,080	64.7%
1	Symptom was mild	4,207	24.6%
2	Symptom was moderate	1,334	7.8%
3	Symptom was severe	350	2.0%
.	Missing	161	0.9%
		17,132	

F38 Vaginal or genital discharge

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Vaginal or genital discharge

Variable # 80

Usage Notes: none

Sas Name: VAGDIS

Categories: Medical History: Other Disease/Condition

Sas Label: Vaginal or genital discharge

Values		N	%
0	Symptom did not occur	13,500	78.8%
1	Symptom was mild	2,998	17.5%
2	Symptom was moderate	393	2.3%
3	Symptom was severe	60	0.4%
.	Missing	181	1.1%
		17,132	

F38 Did your spouse or partner die

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did your spouse or partner die?

Variable # 81

Usage Notes: Not collected on all versions of Form 38.

Sas Name: SPOUSDIE

Categories: Psychosocial/Behavioral

Sas Label: Did your spouse or partner die

Values		N	%
0	No	16,580	96.8%
1	Yes and upset me: Not too much	42	0.2%
2	Yes and upset me: Moderately	107	0.6%
3	Yes and upset me: Very much	258	1.5%
.	Missing	145	0.8%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Did your spouse/partner have a serious illness

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did your spouse or partner have a serious illness?

Variable # 82

Usage Notes: Not collected on all versions of Form 38.

Sas Name: SPOUSILL

Categories: Psychosocial/Behavioral

Sas Label: Did your spouse have a serious illness

Values		N	%
0	No	5,676	33.1%
1	Yes and upset me: Not too much	218	1.3%
2	Yes and upset me: Moderately	405	2.4%
3	Yes and upset me: Very much	476	2.8%
.	Missing	10,357	60.5%
		17,132	

F38 Did a close friend die or have serious illness

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Over the past year: Did a close friend or family member die or have a serious illness (other than your spouse or partner)?

Variable # 83

Usage Notes: Not collected on all versions of Form 38.

Sas Name: FRIENDIE

Categories: Psychosocial/Behavioral

Sas Label: Did a close friend die

Values		N	%
0	No	9,735	56.8%
1	Yes and upset me: Not too much	1,736	10.1%
2	Yes and upset me: Moderately	3,176	18.5%
3	Yes and upset me: Very much	2,348	13.7%
.	Missing	137	0.8%
		17,132	

F38 Have major problems with money

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did you have any major problems with money?

Variable # 84

Usage Notes: Not collected on all versions of Form 38.

Sas Name: MONPROB

Categories: Psychosocial/Behavioral

Sas Label: Have major problems with money

Values		N	%
0	No	12,749	74.4%
1	Yes and upset me: Not too much	2,079	12.1%
2	Yes and upset me: Moderately	1,438	8.4%
3	Yes and upset me: Very much	733	4.3%
.	Missing	133	0.8%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Have a divorce or break-up

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did you have a divorce or break-up with a spouse or partner?

Variable # 85

Usage Notes: Not collected on all versions of Form 38.

Sas Name: DIVORCE

Categories: Psychosocial/Behavioral

Sas Label: Have a divorce or break-up

Values		N	%
0	No	16,613	97.0%
1	Yes and upset me: Not too much	92	0.5%
2	Yes and upset me: Moderately	107	0.6%
3	Yes and upset me: Very much	153	0.9%
.	Missing	167	1.0%
		17,132	

F38 Close friend/family have a divorce

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did a family member or close friend have a divorce or break-up?

Variable # 86

Usage Notes: Not collected on all versions of Form 38.

Sas Name: FRNDIV

Categories: Psychosocial/Behavioral

Sas Label: Close friend/family have a divorce

Values		N	%
0	No	14,815	86.5%
1	Yes and upset me: Not too much	843	4.9%
2	Yes and upset me: Moderately	766	4.5%
3	Yes and upset me: Very much	573	3.3%
.	Missing	135	0.8%
		17,132	

F38 Have major conflict with children

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did you have a major conflict with children or grandchildren?

Variable # 87

Usage Notes: Not collected on all versions of Form 38.

Sas Name: CHILCON

Categories: Psychosocial/Behavioral

Sas Label: Have major conflict with children

Values		N	%
0	No	14,251	83.2%
1	Yes and upset me: Not too much	1,216	7.1%
2	Yes and upset me: Moderately	930	5.4%
3	Yes and upset me: Very much	603	3.5%
.	Missing	132	0.8%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Have a major accident or disaster

Below are some hard things that sometimes happen to people. Pls try to think back over the past yr to remember if any of these things happened. Over the past year: Did you have any major accidents, disasters, muggings, unwanted sexual experiences, robberies or similar events?

Variable # 88

Usage Notes: Not collected on all versions of Form 38.

Sas Name: MAJACC

Categories: Psychosocial/Behavioral

Sas Label: Have a major accident or disaster

Values		N	%
0	No	16,070	93.8%
1	Yes and upset me: Not too much	292	1.7%
2	Yes and upset me: Moderately	337	2.0%
3	Yes and upset me: Very much	321	1.9%
.	Missing	112	0.7%
		17,132	

F38 Did you, family, or friend lose job or retire

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did a family member or close friend lose their job or retire?

Variable # 89

Usage Notes: Not collected on all versions of Form 38.

Sas Name: FRNJOB

Categories: Psychosocial/Behavioral

Sas Label: You, family, friend lose job or retire

Values		N	%
0	No	14,002	81.7%
1	Yes and upset me: Not too much	1,642	9.6%
2	Yes and upset me: Moderately	876	5.1%
3	Yes and upset me: Very much	493	2.9%
.	Missing	119	0.7%
		17,132	

F38 Were you physically abused

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Were you physically abused by being hit, slapped, pushed, shoved, punched or threatened with a weapon by a family member or close friend?

Variable # 90

Usage Notes: Not collected on all versions of Form 38.

Sas Name: PHYAB

Categories: Psychosocial/Behavioral

Sas Label: Were you physically abused

Values		N	%
0	No	16,868	98.5%
1	Yes and upset me: Not too much	46	0.3%
2	Yes and upset me: Moderately	48	0.3%
3	Yes and upset me: Very much	61	0.4%
.	Missing	109	0.6%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Were you verbally abused

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: . Were you verbally abused by being made fun of, severely criticized, told you were a stupid or worthless person, or threatened with harm to yourself, your possessions, or your pets, by a family member or close friend?

Variable # 91

Usage Notes: Not collected on all versions of Form 38.

Sas Name: VERBAB

Categories: Psychosocial/Behavioral

Sas Label: Were you verbally abused

Values		N	%
0	No	15,673	91.5%
1	Yes and upset me: Not too much	617	3.6%
2	Yes and upset me: Moderately	408	2.4%
3	Yes and upset me: Very much	311	1.8%
.	Missing	123	0.7%
		17,132	

F38 Did a pet die

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did a pet die?

Variable # 92

Usage Notes: Not collected on all versions of Form 38.

Sas Name: PETDIE

Categories: Psychosocial/Behavioral

Sas Label: Did a pet die

Values		N	%
0	No	15,668	91.5%
1	Yes and upset me: Not too much	307	1.8%
2	Yes and upset me: Moderately	544	3.2%
3	Yes and upset me: Very much	488	2.8%
.	Missing	125	0.7%
		17,132	

F38 You felt depressed

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You felt depressed (blue or down)

Variable # 93

Usage Notes: Not collected on all versions of Form 38.

Sas Name: FELTDEP

Categories: Psychosocial/Behavioral

Sas Label: You felt depressed

Values		N	%
0	Rarely or none of the time	12,835	74.9%
1	Some or a little of the time	2,957	17.3%
2	Occasionally or a moderate amount	918	5.4%
3	Most or all of the time	264	1.5%
.	Missing	158	0.9%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants**F38 Your sleep was restless**

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. Your sleep was restless

Variable # 94**Usage Notes:** Not collected on all versions of Form 38.**Sas Name:** RESTSLP**Categories:** Lifestyle: Sleep
Psychosocial/Behavioral**Sas Label:** Your sleep was restless

Values		N	%
0	Rarely or none of the time	8,079	47.2%
1	Some or a little of the time	5,876	34.3%
2	Occasionally or a moderate amount	2,123	12.4%
3	Most or all of the time	902	5.3%
.	Missing	152	0.9%
		17,132	

F38 You enjoyed life

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You enjoyed life

Variable # 95**Usage Notes:** Not collected on all versions of Form 38.**Sas Name:** ENJLIF**Categories:** Psychosocial/Behavioral**Sas Label:** You enjoyed life

Values		N	%
0	Rarely or none of the time	1,647	9.6%
1	Some or a little of the time	1,035	6.0%
2	Occasionally or a moderate amount	1,986	11.6%
3	Most or all of the time	12,271	71.6%
.	Missing	193	1.1%
		17,132	

F38 You had crying spells

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You had crying spells

Variable # 96**Usage Notes:** Not collected on all versions of Form 38.**Sas Name:** CRYSPELL**Categories:** Psychosocial/Behavioral**Sas Label:** You had crying spells

Values		N	%
0	Rarely or none of the time	15,506	90.5%
1	Some or a little of the time	1,032	6.0%
2	Occasionally or a moderate amount	319	1.9%
3	Most or all of the time	108	0.6%
.	Missing	167	1.0%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants

F38 You felt sad

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You felt sad

Variable # 97**Usage Notes:** Not collected on all versions of Form 38.**Sas Name:** FELTSAD**Categories:** Psychosocial/Behavioral**Sas Label:** You felt sad

Values		N	%
0	Rarely or none of the time	11,333	66.2%
1	Some or a little of the time	4,390	25.6%
2	Occasionally or a moderate amount	957	5.6%
3	Most or all of the time	283	1.7%
.	Missing	169	1.0%
		17,132	

F38 You felt people dislikeded you

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You felt that people disliked you

Variable # 98**Usage Notes:** Not collected on all versions of Form 38.**Sas Name:** PEOPDIS**Categories:** Psychosocial/Behavioral**Sas Label:** You felt people dislikeded you

Values		N	%
0	Rarely or none of the time	15,385	89.8%
1	Some or a little of the time	1,301	7.6%
2	Occasionally or a moderate amount	206	1.2%
3	Most or all of the time	89	0.5%
.	Missing	151	0.9%
		17,132	

F38 Felt sad for two weeks or more

In the past year, have you had two weeks or more during which you felt sad, blue, or depressed, or lost pleasure in things that you usually cared about or enjoyed?

Variable # 99**Usage Notes:** Not collected on all versions of Form 38.**Sas Name:** SAD2WK**Categories:** Psychosocial/Behavioral**Sas Label:** Felt sad for two weeks or more

Values		N	%
0	No	14,049	82.0%
1	Yes	2,928	17.1%
.	Missing	155	0.9%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Felt sad for two or more years

Have you had two years or more in your life when you felt depressed or sad on most days, even if you felt okay sometimes?

Variable # 100

Usage Notes: Not collected on all versions of Form 38.

Sas Name: SAD2YRS

Categories: Psychosocial/Behavioral

Sas Label: Felt sad for two or more years

Values		N	%
0	No	13,769	80.4%
1	Yes	3,175	18.5%
.	Missing	188	1.1%
		17,132	

F38 Felt sad much of past year

Have you felt depressed or sad much of the time in the past year?

Variable # 101

Usage Notes: Sub-question of F38 V6 Q57 "Felt sad two or more years".
Not collected on all versions of Form 38.

Sas Name: SADMUCH

Categories: Psychosocial/Behavioral

Sas Label: Felt sad much of past year

Values		N	%
0	No	2,277	13.3%
1	Yes	875	5.1%
.	Missing	13,980	81.6%
		17,132	

F38 Did you take medication for sleep

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you take any kind of medication or alcohol at bedtime to help you sleep?

Variable # 102

Usage Notes: none

Sas Name: MEDSLEEP

Categories: Lifestyle: Sleep

Sas Label: Did you take medication for sleep

Values		N	%
1	No, not in past 4 weeks	13,260	77.4%
2	Yes, less than once a week	1,466	8.6%
3	Yes 1 or 2 times a week	896	5.2%
4	Yes, 3 or 4 times a week	449	2.6%
5	Yes, 5 or more times a week	949	5.5%
.	Missing	112	0.7%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Did you fall asleep during quiet activity

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you fall asleep during quiet activities like reading, watching TV, or riding in a car?

Variable # 103

Usage Notes: none

Sas Name: FALLSLP

Categories: Lifestyle: Sleep

Sas Label: Fall asleep during quiet activity

Values		N	%
1	No, not in past 4 weeks	4,331	25.3%
2	Yes, less than once a week	3,992	23.3%
3	Yes 1 or 2 times a week	4,401	25.7%
4	Yes, 3 or 4 times a week	2,631	15.4%
5	Yes, 5 or more times a week	1,634	9.5%
.	Missing	143	0.8%
		17,132	

F38 Did you nap during the day

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you nap during the day?

Variable # 104

Usage Notes: none

Sas Name: NAP

Categories: Lifestyle: Sleep

Sas Label: Did you nap during the day

Values		N	%
1	No, not in past 4 weeks	8,203	47.9%
2	Yes, less than once a week	3,735	21.8%
3	Yes 1 or 2 times a week	2,789	16.3%
4	Yes, 3 or 4 times a week	1,438	8.4%
5	Yes, 5 or more times a week	804	4.7%
.	Missing	163	1.0%
		17,132	

F38 Did you have trouble falling asleep

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you have trouble falling asleep?

Variable # 105

Usage Notes: none

Sas Name: TRBSLEEP

Categories: Lifestyle: Sleep

Sas Label: Did you have trouble falling asleep

Values		N	%
1	No, not in past 4 weeks	10,239	59.8%
2	Yes, less than once a week	3,150	18.4%
3	Yes 1 or 2 times a week	2,069	12.1%
4	Yes, 3 or 4 times a week	950	5.5%
5	Yes, 5 or more times a week	579	3.4%
.	Missing	145	0.8%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Did you wake up several times

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you wake up several times at night?

Variable # 106

Usage Notes: none

Sas Name: WAKENGHT

Categories: Lifestyle: Sleep

Sas Label: Did you wake up several times

Values		N	%
1	No, not in past 4 weeks	4,118	24.0%
2	Yes, less than once a week	3,035	17.7%
3	Yes 1 or 2 times a week	3,612	21.1%
4	Yes, 3 or 4 times a week	2,803	16.4%
5	Yes, 5 or more times a week	3,398	19.8%
.	Missing	166	1.0%
		17,132	

F38 Did you wake up earlier than planned

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you wake up earlier than you planned

Variable # 107

Usage Notes: none

Sas Name: UPEARLY

Categories: Lifestyle: Sleep

Sas Label: Did you wake up earlier than planned

Values		N	%
1	No, not in past 4 weeks	7,574	44.2%
2	Yes, less than once a week	3,588	20.9%
3	Yes 1 or 2 times a week	2,956	17.3%
4	Yes, 3 or 4 times a week	1,705	10.0%
5	Yes, 5 or more times a week	1,159	6.8%
.	Missing	150	0.9%
		17,132	

F38 Did you have trouble getting back to sleep

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you have trouble getting back to sleep after you woke up too early?

Variable # 108

Usage Notes: none

Sas Name: BACKSLP

Categories: Lifestyle: Sleep

Sas Label: Have trouble getting back to sleep

Values		N	%
1	No, not in past 4 weeks	8,687	50.7%
2	Yes, less than once a week	3,341	19.5%
3	Yes 1 or 2 times a week	2,614	15.3%
4	Yes, 3 or 4 times a week	1,422	8.3%
5	Yes, 5 or more times a week	889	5.2%
.	Missing	179	1.0%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants

F38 Did you snore

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you snore?

Variable # 109**Usage Notes:** none**Sas Name:** SNORE**Categories:** Lifestyle: Sleep**Sas Label:** Did you snore

Values		N	%
1	No, not in past 4 weeks	2,694	15.7%
2	Yes, less than once a week	763	4.5%
3	Yes 1 or 2 times a week	1,083	6.3%
4	Yes, 3 or 4 times a week	797	4.7%
5	Yes, 5 or more times a week	2,026	11.8%
9	Don't know	9,607	56.1%
.	Missing	162	0.9%
		17,132	

F38 Typical night's sleep

Overall, was your typical night's sleep during the past 4 weeks:

Variable # 110**Usage Notes:** none**Sas Name:** QUALSLP**Categories:** Lifestyle: Sleep**Sas Label:** Typical night's sleep

Values		N	%
1	Very restless	329	1.9%
2	Restless	2,173	12.7%
3	Average quality	6,948	40.6%
4	Sound or restful	5,161	30.1%
5	Very sound or restful	2,421	14.1%
.	Missing	100	0.6%
		17,132	

F38 How many hours of sleep

About how many hours of sleep did you get on a typical night during the past 4 weeks?

Variable # 111**Usage Notes:** none**Sas Name:** HRSSLP**Categories:** Lifestyle: Sleep**Sas Label:** How many hours of sleep

Values		N	%
1	5 or less hours	1,542	9.0%
2	6 hours	4,845	28.3%
3	7 hours	6,296	36.7%
4	8 hours	3,655	21.3%
5	9 hours	650	3.8%
6	10 or more hours	72	0.4%
.	Missing	72	0.4%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Ever leaked urine

Have you ever leaked even a very small amount of urine involuntarily and you couldn't control it?

Variable # 112

Usage Notes: none

Sas Name: INCONT

Categories: Medical History: Incontinence

Sas Label: Ever leaked urine

Values		N	%
0	No	4,890	28.5%
1	Yes	12,148	70.9%
.	Missing	94	0.5%
		17,132	

F38 How often leaked urine

How often does this leaking urine occur? (Mark one oval.)

Variable # 113

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).

Sas Name: FRQINCON

Categories: Medical History: Incontinence

Sas Label: How often leaked urine

Values		N	%
1	Not once during past year	811	4.7%
2	Less than once a month	3,627	21.2%
3	More than once a month	3,227	18.8%
4	One or more times a week	3,280	19.1%
5	Daily	1,568	9.2%
.	Missing	4,619	27.0%
		17,132	

F38 No longer leak urine

When do you usually leak urine? (Mark all that apply.) No longer leak urine

Variable # 114

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Not collected on all versions of Form 38.

Sas Name: NOINCON

Categories: Medical History: Incontinence

Sas Label: No longer leak urine

Values		N	%
0	No	11,675	68.1%
1	Yes	653	3.8%
.	Missing	4,804	28.0%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Leak urine when cough, laugh

When do you usually leak urine? (Mark all that apply.) When I cough, laugh, sneeze, lift, stand up. Or exercise

Variable # 115

Sas Name: CGHINCON

Sas Label: Leak urine when cough, laugh

Values		N	%
0	No	5,261	30.7%
1	Yes	7,067	41.3%
.	Missing	4,804	28.0%
		17,132	

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 38.

Categories: Medical History: Incontinence**F38 Leak urine when can't get to toilet**

When do you usually leak urine? (Mark all that apply.) When I feel the need to urinate and can't get to a toilet fast enough

Variable # 116

Sas Name: TOINCON

Sas Label: Leak urine when can't get to toilet

Values		N	%
0	No	5,773	33.7%
1	Yes	6,555	38.3%
.	Missing	4,804	28.0%
		17,132	

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 38.

Categories: Medical History: Incontinence**F38 Leak urine when I am sleeping**

When do you usually leak urine? (Mark all that apply.) When I sleep

Variable # 117

Sas Name: SLPINCON

Sas Label: Leak urine when I am sleeping

Values		N	%
0	No	12,034	70.2%
1	Yes	294	1.7%
.	Missing	4,804	28.0%
		17,132	

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 38.

Categories: Medical History: Incontinence**F38 When leak urine, Other**

When do you usually leak urine? (Mark all that apply.) Other

Variable # 118

Sas Name: OTHINCON

Sas Label: When leak urine, Other

Values		N	%
0	No	11,964	69.8%
1	Yes	364	2.1%
.	Missing	4,804	28.0%
		17,132	

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 38.

Categories: Medical History: Incontinence



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 How much urine do you lose

How much urine do you usually lose when it leaks? (Mark one oval.)

Variable # 119

Sas Name: LEAKAMT

Sas Label: How much urine do you lose

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
1	None	152	0.9%
2	Barely noticeable on underpants	9,237	53.9%
3	Soaked underpants	2,076	12.1%
4	Soaked through to outer clothing	309	1.8%
.	Missing	5,358	31.3%
		17,132	

F38 Leak Protect/No protection

What protection do you wear in case you leak urine? (Mark all that apply.) None

Variable # 120

Sas Name: NOPRTCT

Sas Label: Leak Protect/No protection

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
0	No	5,334	31.1%
1	Yes	6,479	37.8%
.	Missing	5,319	31.0%
		17,132	

F38 Leak Protect/Mini-pad, tissue

What protection do you wear in case you leak urine? (Mark all that apply.) Mini-pad, tissue or towel

Variable # 121

Sas Name: MINIPAD

Sas Label: Leak Protect/Mini-pad, tissue

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
0	No	7,688	44.9%
1	Yes	4,125	24.1%
.	Missing	5,319	31.0%
		17,132	

F38 Leak Protect/Menstrual pad

What protection do you wear in case you leak urine? (Mark all that apply.) Menstrual pad or shield

Variable # 122

Sas Name: MENSPAD

Sas Label: Leak Protecti/Menstrual pad

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
0	No	10,662	62.2%
1	Yes	1,151	6.7%
.	Missing	5,319	31.0%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 Leak Protect/Diaper, Attends

What protection do you wear in case you leak urine? (Mark all that apply.) Diaper, towel, Attends, Depends

Variable # 123

Sas Name: DIAPER

Sas Label: Leak Protect/Diaper, Attends

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).**Categories:** Medical History: Incontinence

Values		N	%
0	No	11,446	66.8%
1	Yes	367	2.1%
.	Missing	5,319	31.0%
		17,132	

F38 Leak Protect/Other

What protection do you wear in case you leak urine? (Mark all that apply.) Other

Variable # 124

Sas Name: OTHPRTCT

Sas Label: Leak Protect/Other

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).**Categories:** Medical History: Incontinence

Values		N	%
0	No	11,684	68.2%
1	Yes	129	0.8%
.	Missing	5,319	31.0%
		17,132	

F38 How often does leakage limit activities

How often does the leakage of urine limit your daily activities? (Mark one oval.)

Variable # 125

Sas Name: INCONLMT

Sas Label: How often does leakage limit activities

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).**Categories:** Medical History: Incontinence

Values		N	%
1	Never	9,133	53.3%
2	Almost never	1,969	11.5%
3	Sometimes	560	3.3%
4	Fairly often	100	0.6%
5	Very often	53	0.3%
.	Missing	5,317	31.0%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 How much does leakage bother you

How much does the leakage of urine bother or disturb you? (Mark one oval.)

Variable # 126

Sas Name: INCONDIS

Sas Label: How much does leakage bother

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).**Categories:** Medical History: Incontinence

Values		N	%
1	Not at all disturbing	2,998	17.5%
2	A little disturbing	5,672	33.1%
3	Somewhat disturbing	2,007	11.7%
4	Very disturbing	832	4.9%
5	Extremely disturbing	297	1.7%
.	Missing	5,326	31.1%
		17,132	

F38 Currently married or intimate

Are you currently married or in an intimate relationship with at least one person?

Variable # 127

Sas Name: MARRIED

Sas Label: Currently married or intimate

Usage Notes: none**Categories:** Lifestyle: Sexual Activity

Values		N	%
0	No	6,410	37.4%
1	Yes	10,613	61.9%
.	Missing	109	0.6%
		17,132	

F38 Sexual activity in last year

Did you have any sexual activity with a partner in the last year?

Variable # 128

Sas Name: SEXACTIV

Sas Label: Sexual activity in last year

Usage Notes: none**Categories:** Lifestyle: Sexual Activity

Values		N	%
0	No	8,570	50.0%
1	Yes	7,612	44.4%
9	Don't want to answer	839	4.9%
.	Missing	111	0.6%
		17,132	



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

F38 How satisfied sexually

How satisfied are you with your current sexual activities, either with a partner or alone? (Mark one oval.)

Variable # 129

Usage Notes: none

Sas Name: SATSEX

Categories: Lifestyle: Sexual Activity

Sas Label: How satisfied sexually

Values		N	%
1	Very unsatisfied	1,814	10.6%
2	A little unsatisfied	2,085	12.2%
3	Somewhat satisfied	3,743	21.8%
4	Very satisfied	5,682	33.2%
9	Don't want to answer	3,244	18.9%
.	Missing	564	3.3%
		17,132	

F38 Satisfied with sex frequency

Are you satisfied with the frequency of your sexual activity, or would you like to have sex more or less often? (Mark one oval.)

Variable # 130

Usage Notes: none

Sas Name: SATFRQSX

Categories: Lifestyle: Sexual Activity

Sas Label: Satisfied with sex frequency

Values		N	%
1	Less often	579	3.4%
2	Satisfied with current frequency	8,169	47.7%
3	More often	3,487	20.4%
9	Don't want to answer	4,141	24.2%
.	Missing	756	4.4%
		17,132	

F38 Worried sexual activity will affect health

Are you worried that sexual activities will affect your health? (Mark one oval.)

Variable # 131

Usage Notes: none

Sas Name: SEXWORRY

Categories: Lifestyle: Sexual Activity

Sas Label: Worried sex activity will affect health

Values		N	%
1	Not at all worried	14,455	84.4%
2	A little worried	371	2.2%
3	Somewhat worried	219	1.3%
4	Very worried	89	0.5%
9	Don't want to answer	1,570	9.2%
.	Missing	428	2.5%
		17,132	

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants

Activities of daily living construct

Computed from Forms 36/38, questions 39-42. Source: WHI BAC. Four items describing basic activities (whether can eat, dress, get in and out of bed, and take a bath) each of which has three possible values (1=without help, 2=some help, 3=completely unable) are summed. A lower score indicates greater ability to cope with daily living activities. Missing if any of the four items are missing.

Variable # 132**Usage Notes:** none**Sas Name:** ACTDLY**Categories:** Computed Variables**Sas Label:** Activities of Daily Living Construct

N	Min	Max	Mean	Std Dev
16855	4	12	4.03121	.28981

Role limitations due to emotional problems

Computed from Form 36/38, questions 22, 23, and 24. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on role limitations due to emotional problems. EMOLIMIT ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 133**Usage Notes:** none**Sas Name:** EMOLIMIT**Categories:** Computed Variables**Sas Label:** Role limitation due to emotional problem

N	Min	Max	Mean	Std Dev
16834	0	100	85.12336	29.16462

Emotional well-being

Computed from Form 36/38, questions 31, 32, 33, 35, and 37. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on emotional well-being. EMOWELL ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 134**Usage Notes:** none**Sas Name:** EMOWELL**Categories:** Computed Variables**Sas Label:** Emotional well-being

N	Min	Max	Mean	Std Dev
16793	0	100	80.70696	14.54226

Energy/fatigue

Computed from Form 36/38, questions 30, 34, 36, and 38. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on energy/fatigue. ENERFAT ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 135**Usage Notes:** none**Sas Name:** ENERFAT**Categories:** Computed Variables**Sas Label:** Energy/fatigue

N	Min	Max	Mean	Std Dev
16797	0	100	65.02262	19.6838



Form 38 - Daily Life

Data File: f38_ep_fu_pub

File Date: 05/04/2005

Structure: Multiple rows per participant

Population: E+P participants

General health construct

Computed from Form 36/38, questions 3, 25, 26, 27, and 28. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on general health. GENHLTH ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 136

Usage Notes: none

Sas Name: GENHLTH

Categories: Computed Variables

Sas Label: General health construct

N	Min	Max	Mean	Std Dev
16810	0	100	75.98632	17.09953

Life event construct #1 (0,1 scoring)

Computed from Form 36/38, questions 44.1, and 45-54. Source: WHI BAC; based on measures used in the Alameda County Study and BHAT. The eleven items are recoded, setting original responses from 1-3 equal to 1, and then summed. The construct has a range from 0 to 11 with a higher score indicating a greater number of life events. Missing if any of the eleven items are missing.

Variable # 137

Usage Notes: none

Sas Name: LFEVENT1

Categories: Computed Variables

Sas Label: Life event construct #1 (0,1 scoring)

N	Min	Max	Mean	Std Dev
16646	0	9	1.40532	1.32173

Life event construct #2 (0-3 scoring)

Computed from Form 36/38, question questions 44.1, and 45-54. Source: WHI BAC; based on measures used in the Alameda County Study and BHAT. This construct is a sum of the eleven items that are coded from 0-3 resulting in a range from 0 to 33 with a higher score indicating a greater number of life events. If any of the eleven items are missing, LFEVENT2 is set to missing.

Variable # 138

Usage Notes: none

Sas Name: LFEVENT2

Categories: Computed Variables

Sas Label: Life event construct #2 (0-3 scoring)

N	Min	Max	Mean	Std Dev
16646	0	24	2.65746	2.84981

Pain construct

Computed from Form 36/38, questions 16 and 17. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on pain. PAIN ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 139

Usage Notes: none

Sas Name: PAIN

Categories: Computed Variables

Sas Label: Pain construct

N	Min	Max	Mean	Std Dev
17036	0	100	76.35742	22.89997

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants**Role limitations due to physical health**

Computed from Form 36/38, questions 18-21. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on role limitations due to physical health. PHYLIMIT ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 140**Usage Notes:** none**Sas Name:** PHYLIMIT**Categories:** Computed Variables**Sas Label:** Role limitations due to physical health

N	Min	Max	Mean	Std Dev
16832	0	100	76.42883	34.55596

Physical functioning construct

Computed from Form 36/38, questions 5-14. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on physical functioning. PHYSFUN ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 141**Usage Notes:** none**Sas Name:** PHYSFUN**Categories:** Computed Variables**Sas Label:** Physical functioning construct

N	Min	Max	Mean	Std Dev
16616	0	100	81.86627	20.39746

Shortened CES-D/DIS screening instrument

Computed from Form 36/38, questions 55.1-55.6, 56, 57, and 57.1. Source: Center for Epidemiological Studies; depression scale (CES-D, short form). PSHTDEP ranges from 0 to 1 with a higher score indicating a greater likelihood of depression. Cutoff values of .06 and .009 have been used to indicate depression.

Variable # 142**Usage Notes:** none**Sas Name:** PSHTDEP**Categories:** Computed Variables**Sas Label:** Shortened CES-D/DIS screening instrument

N	Min	Max	Mean	Std Dev
16552	.00028	.94695	.03202	.11495

Sleep disturbance construct

Computed from Form 36/38, questions 61-64 and 66. Sum of five components. Questions 61-64 range from 1-5 and question 66 is recoded and reverse coded resulting in a range from 0-4 before summing. The summary score ranges from 4 to 24 where a higher score indicates greater sleep disturbance. Missing if any of the five components is missing.

Variable # 143**Usage Notes:** none**Sas Name:** SLPDSTRB**Categories:** Computed Variables**Sas Label:** Sleep disturbance construct

N	Min	Max	Mean	Std Dev
16641	0	20	13.69167	4.44891

**Form 38 - Daily Life****Data File:** f38_ep_fu_pub**File Date:** 05/04/2005**Structure:** Multiple rows per participant**Population:** E+P participants

Social functioning

Computed from Form 36/38, questions 15 and 29. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on social functioning. SOCFUNC ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 144**Usage Notes:** none**Sas Name:** SOCFUNC**Categories:** Computed Variables**Sas Label:** Social functioning

N	Min	Max	Mean	Std Dev
16960	0	100	89.74573	18.58561

Symptom construct

Computed from Form 36/38, questions 43.1-43.34. Source: PEPI, national and other surveys. Average of 34 items measuring occurrence and severity of symptoms. The summary score ranges from 0 to 3 where a higher score indicates more numerous and/or more severe symptoms. Missing if any of the 34 items is missing.

Variable # 145**Usage Notes:** none**Sas Name:** SYMPTOM**Categories:** Computed Variables**Sas Label:** Symptom construct

N	Min	Max	Mean	Std Dev
15347	0	2.20588	.42617	.27305
